

Copy 105

2 Pages

NPIC/R-338/63

December 1963

PHOTOGRAPHIC INTERPRETATION REPORT

# NAGYACSD PROBABLE AMMUNITION STORAGE, HUNGARY

Declassification by NIMA/DOD



CIA




DIA

Handle Via **TALENT - KEYHOLE** Control Only

## WARNING

This document contains classified information affecting the national security of the United States within the meaning of the espionage laws U. S. Code Title 18, Sections 793 and 794. The law prohibits its transmission or the revelation of its contents in any manner to an unauthorized person, as well as its use in any manner prejudicial to the safety or interest of the United States or for the benefit of any foreign government to the detriment of the United States. It is to be seen only by personnel especially indoctrinated and authorized to receive TALENT-KEYHOLE information. Its security must be maintained in accordance with KEYHOLE and TALENT regulations.

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



**TOP SECRET**

NPIC/R-338/63

## NAGYACSD PROBABLE AMMUNITION STORAGE, HUNGARY

This report is a partial answer to DIA requirement DIAXX 63-84, to verify the location of selected military installations in Hungary and to perform a photo analysis to determine function, number and dimensions of buildings, to estimate troop capacity, to identify and describe related training areas and facilities, and to confirm or negate ammunition and POL storage.

25X1D TALENT photography of [REDACTED] was used for identification and mensuration of buildings.  
25X1D KEYHOLE photography of [REDACTED] was used to confirm this information and to determine dimensions and function of the building erected since [REDACTED]. The installation described below is shown in Figure 1.

Coordinates: 47-21-48N 017-23-10E  
(UTM 33TXN803483)

BE No: none

Troop capacity: 495\*

This probable ammunition storage facility located .7 mile southeast of Nagyacsad covers 32 acres and contains:

- a double-secured area with 8 unrevetted probable ammunition storage buildings ranging from 80 by 45 feet to 45 by 45 feet, a total of 23,625 square feet, and 20 miscellaneous support buildings ranging from 55 by 20 to 10 by 10 feet
- a barracks area with a probable two-story barracks building 225 by 55 feet,\*\* a total of 24,750 square feet
- a firing range 750 by 100 feet
- no observed POL storage.

\*Troop capacity is computed on a basis of 50 square feet of space per man.

\*\*This barracks building is located in the east section of the installation, and has been erected since [REDACTED]

25X1D

### REFERENCES

#### PHOTOGRAPHY

Mission	Date	Pass	Camera	Frame	Classification
[REDACTED]					

#### MAPS OR CHARTS

SAC. US Air Target Chart, Series 200, Sheet 0252-4A, 1st ed, Mar 59, scale 1:200,000 (SECRET)  
AMS. Series M773, Sheet 5059W, 1st ed, 1951, scale 1:50,000 (UNCLASSIFIED)

#### REQUIREMENT

DIAXX 63-84

#### NPIC PROJECT

J-252/63 (partial answer)

25X9

Approved For Release 2001/08/21 : CIA-RDP78B04560A001200010066-3

Approved For Release 2001/08/21 : CIA-RDP78B04560A001200010066-3

**TOP SECRET**  
Approved For Release 2001/08/21 : CIA-RDP78B04560A001200010066-3

Approved For Release 2001/08/21 : CIA-RDP78B04560A001200010066-3  
**TOP SECRET**